



Tork Toiletpapir

Farve: Hvid



Fordel

- Traditionelle toiletruller i god kvalitet
- Velegnet til alle typer toiletmiljøer
- Ekstra lang rulle - færre rulleskift



496



69.44 m



9.9 cm



2



Produktspecifikation

Artikel	System	Rullelængde	Rullebredd e	Rullediam eter	Antal ark	Arklængde	Indvendig kernediam eter	Lag	Tryk	Prægning	Farve
120261	T4 - Traditionel t toiletsyste m	69.44 m	9.9 cm	12 cm	496	14 cm	3.8 cm	2	Nej	Ja	Hvid



Tork Toiletpapir

Farve: Hvid

Forsendelsesdata

Forbrugerenhed

EAN	7310791104461
Stk.	4
Materiale	Plastic
Højde	198 mm
Bredde	117 mm
Længde	240 mm
Volumen	5.6 dm ³
Nettovægt	924 g
Bruttovægt	954 g

Transportenhed

EAN	7310791104478
Stk.	24
Forbrugerenheder	6
Materiale	Plastic
Højde	198 mm
Bredde	240 mm
Længde	702 mm
Volumen	33.4 dm ³
Nettovægt	5.54 kg
Bruttovægt	5.77 kg

Palle

EAN	7322540006971
Stk.	960
Forbrugerenheder	240
Højde	1750 mm
Bredde	800 mm
Længde	1200 mm
Volumen	1.3 m ³
Nettovægt	221.75 kg
Bruttovægt	230.96 kg



Miljø

Content

Recycled fibres

Chemicals

Material

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Dry strength agent

If coloured = Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners



The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label

Approved for EU ecolabel.

Date of issue 2013-09-26

Revision date

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.