

Tork Aftørringspapir Basic, M1

Farve: Gul Type: Mini Centerfeed Rulle



Fordel

- · Godkendt til kontakt med fødevarer
- Tork Easy Handling[™], emballage som er let at løfte, åbne og folde sammen, når du skal skaffe dig af med den.



115 m









Produktspecifikation

Artikel	System	Rullelængde	Rullebredde	Rullediameter	Lag	Farve
120144	M1 - Centerfeed- system, lille	115 m	20.5 cm	14 cm	1	Gul

Beskrivelse

Et 1-lags papir til basale aftørringsopgaver.



Forsendelsesdata

Forbrugerenhed

EAN	7322540465419	
Stk.	1	
Højde	205 mm	
Bredde	140 mm	
Længde	140 mm	
Volumen	4.0 dm3	
Nettovægt	601 g	
Bruttovægt	602 g	

Transportenhed

EAN	7322540465426	
Stk.	11	
Forbrugerenhede r	11	
Materiale	Carton	
Højde	220 mm	
Bredde	391 mm	
Længde	589 mm	
Volumen	50.7 dm3	
Nettovægt	6.61 kg	
Bruttovægt	7.08 kg	

Palle

EAN	7322540471755	
Stk.	352	
Forbrugerenhede r	352	
Højde	1910 mm	
Bredde	800 mm	
Længde	1200 mm	
Volumen	1.6 m3	
Nettovægt	211.55 kg	
Bruttovægt	226.56 kg	



Miljø

Content

Recycled fibres Chemicals

Material

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free(where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue



Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Product safety

The product fulfils the legislative requirements for food safety =lsega.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

This product is approved for Nordic ecolabel, licence 305 003 and EU-Ecolabel.

Date of issue 2010-08-17

Revision date

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste. If used for industrial processes check local regulations for destruction.



